

## 635 Tintable Primers



## Tintable Primer 1



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	100ml (Part A)	250ml (Part A)	500ml (Part A)	1L (Part A)
635 WHITE	100	5	147,3	368.75	736.5	1473
635 GREY	0		0	0	0	0
635 BLACK	0		0	0	0	0
HARDENER 635		1	19.24	48.1	96.2	192.4
THINNER NORMAL 740/741 SLOW		Max 20%	17,72	44,3	88,6	177,2

## Tintable Primer 2




HS SANDING PRIMER	SHADE RATIO	MIX RATIO	100ml (Part A)	250ml (Part A)	500ml (Part A)	1L (Part A)
635 WHITE	90	5	132,57	368.25	736.5	1325,7
635 GREY			0	0	0	0
635 BLACK	10		14,45	36,125	72,25	144,5
HARDENER 635		1	19.24	48.1	96.2	192.4
THINNER NORMAL 740/741 SLOW		Max 20%	17,72	44,3	88,6	177,2

### Tintable Primer 3



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	100ml (Part A)	250ml (Part A)	500ml (Part A)	1L (Part A)
635 WHITE		5				
635 GREY	100		149,4	373,5	747	1494
635 BLACK						
HARDENER 635		1	19.24	48.1	96.2	192.4
THINNER NORMAL 740/741 SLOW		Max 20%	17,72	44,3	88,6	177,2

### Tintable Primer 4



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	110ml (Part A)	275ml (Part A)	550ml (Part A)	1,10L (Part A)
635 WHITE		5				
635 GREY	90		134,46	369.80	739.5	1479.1
635 BLACK	20		28,9	79.5	158.9	317.9
HARDENER 635		1	21.164	52.80	105.60	211.20
THINNER NORMAL 740/741 SLOW		Max 20%	18.92	47.3	94.6	189.2

### Tintable Primer 5



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	135ml (Part A)	337,5ml (Part A)	675ml (Part A)	1,35L (Part A)
635 WHITE		5				
635 GREY	90		134.46	268.92	672.3	1344.6
635 BLACK	45		65.025	162.6	325.125	650.25
HARDENER 635		1	25.97	64.93	129.87	259.74
THINNER NORMAL 740/741 SLOW		Max 20%	23.22	58.05	116.1	232.20

### Tintable Primer 6



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	135ml (Part A)	337,5ml (Part A)	675ml (Part A)	1,35L (Part A)
635 WHITE		5				
635 GREY	45		67.05	167.620	335.25	670.5
635 BLACK	90		129.60	324.00	648.00	1296.0
HARDENER 635		1	25.97	64.93	129.87	259.74
THINNER NORMAL 740/741 SLOW		Max 20%	23.22	58.05	116.1	232.20

## Tintable Primer 7



HS SANDING PRIMER	SHADE RATIO	MIX RATIO	100ml (Part A)	250ml (Part A)	500ml (Part A)	1L (Part A)
635 WHITE		5				
635 GREY			0	0	0	0
635 BLACK	100		144,5	361,25	722,5	1445
HARDENER 635		1	19.24	48.1	96.2	192.4
THINNER NORMAL 740/741 SLOW		Max 20%	17,72	44,3	88,6	177,2